



5.5mm

STONE POLYMER COMPOSITE



STONE SERIES

Size: (W) 305mm * (L) 610mm * (T) 5,5mm
Thickness of wear layer: 0,3mm
IXPE:1,5mm
PCS/CTN: 12PCS/CTN. 2.22SQM



L - 61
LAVA BLACK



L - 62
SMOKEY GREY



L - 63
SAND CONCRETE



L - 65
WHITE CARRARA



WOOD SERIES

Size: (W) 182mm * (L) 1220mm * (T) 5,5mm
Thickness of wear layer: 0,3mm
IXPE:1,5mm
PCS/CTN: 10PCS/CTN. 2.22SQM



L - 66
VELONA MAPLE



L - 67
HELLA GREY



L - 68
ATHENA ARCH



L - 70
DUSTY GREY



L - 71
WHITE OAK



L - 72
VENEER WOOD

WOOD SERIES

Size: (W) 182mm * (L) 1220mm * (T) 5,5mm
 Thickness of wear layer: 0,3mm
 IXPE: 1,5mm
 PCS/CTN: 10PCS/CTN. 2.22SQM



L - 73
 MAHOGANY



L - 74
 AMERICAN OAK



L - 76
 CHERRY WOOD



L - 79
 CREME CHERRY



L - 80
 BRIGHT OAK



L - 81
 BAVARIAN WALNUT



L - 83
 MIRAGE OAK



L - 84
 MODERN CHESNUT



L - 85
 PRESTIGE WOOD

WOOD SERIES

Size: (W) 182mm * (L) 1220mm * (T) 5,5mm
Thickness of wear layer: 0,3mm
IXPE: 1,5mm
PCS/CTN: 10PCS/CTN. 2.22SQM



L - 86
VINTAGE OAK



L - 87
ANTIQUE WALNUT



L - 88
SAND WALNUT




L - 89
RUSTIC BROWN



SPC ACCESORRIES

Plint SPC **10** cm | Plint SPC **8** cm | List - L SPC
List Adaptasi SPC | Ending SPC | Transisi SPC | Norsing SPC

PLINT SPC 10 CM



Spesifikasi

Panjang: 2400mm

Tinggi: 100mm

Tebal: 12mm



S10-WHITE
SPC FLOOR: L-65
WHITE ONYX



S10-04
SPC FLOOR: L-68 & L-71
ATHENA ARC & WHITE
OAK



S10-10
SPC FLOOR: L-86
VINTAGE OAK



S10-08
SPC FLOOR: L-75 & L-85
LIGHT BROWN &
PRESTIGE WOOD



S10-03
SPC FLOOR: L-70
DUSTY GREY



S10-GREY
SPC FLOOR: L-61, L-62 & L-63
LAVA BLACK, SMOKEY GREY
& SAND CONCRETE



S10-01
SPC FLOOR: L-67 & L-82
HELLA GREY & VICTORIA
OAK



S10-05
SPC FLOOR: L-72
VENEER WOOD



S10-07
SPC FLOOR: L-66, L-74, L-83
& L-89
VERONA MAPLE, AMERICAN
OAK, MIRAGE OAK
& RUSTIC BROWN



S10-09
SPC FLOOR: L-76
CHERRY WOOD



S10-02
SPC FLOOR: L-69, L-84, & L-87
NOVA CHERRY, MODERN
CHESNUT & ANTIQUE WALNUT




S10-11
SPC FLOOR: L-81
BAVARIAN WALNUT



S10-06
SPC FLOOR: L-73
MAHOGANY

PLINT SPC 8 CM



Spesifikasi

Panjang: 2400mm

Tinggi: 100mm

Tebal: 12mm



S8-WHITE
SPC FLOOR: L-65
WHITE ONYX



S8-04
SPC FLOOR: L-68 & L-71
ATHENA ARC & WHITE
OAK



S8-10
SPC FLOOR: L-86
VINTAGE OAK



S8-08
SPC FLOOR: L-75 & L-85
LIGHT BROWN &
PRESTIGE WOOD



S8-03
SPC FLOOR: L-70
DUSTY GREY



S8-GREY
SPC FLOOR: L-61, L-62 & L-63
LAVA BLACK, SMOKEY GREY
& SAND CONCRETE



S8-01
SPC FLOOR: L-67 & L-82
HELLA GREY & VICTORIA
OAK



S8-05
SPC FLOOR: L-72
VENEER WOOD



S8-07
SPC FLOOR: L-66, L-74, L-83
& L-89
VERONA MAPLE, AMERICAN
OAK, MIRAGE OAK
& RUSTIC BROWN



S8-09
SPC FLOOR: L-76
CHERRY WOOD



S8-02
SPC FLOOR: L-69, L-84, & L-87
NOVA CHERRY, MODERN
CHESNUT & ANTIQUE WALNUT




S8-11
SPC FLOOR: L-81
BAVARIAN WALNUT



S8-06
SPC FLOOR: L-73
MAHOGANY

LIST L SPC



Spesifikasi
Panjang: 2400mm
Lebar: 25mm
Tinggi: 15mm



L-04
SPC FLOOR: L-68 & L-71
ATHENA ARCH & WHITE
OAK



L-10
SPC FLOOR: L-86
VINTAGE OAK



L-05
SPC FLOOR: L-72
VENEER WOOD



L-08
SPC FLOOR: L-75 & L-85
LIGHT BROWN &
PRESTIGE WOOD



L-03
SPC FLOOR: L-70
DUSTY GREY



L-01
SPC FLOOR: L-67 & L-82
HELLA GREY & VICTORIA
OAK



L-07
SPC FLOOR: L-66, L-74, L-83
& L-89
VERONA MAPLE, AMERICAN
OAK, MIRAGE OAK & RUSTIC
BROWN



L-09
SPC FLOOR: L-76
CHERRY WOOD



L-02
SPC FLOOR: L-69, L-84 &
L-87
NOVA CHERRY, MODERN
CHESNUT & ANTIQUE
WALNUT



L-11
SPC FLOOR: L-81
BAVARIAN WALNUT



L-06
SPC FLOOR: L-73
MAHOGANY

LIST ADAPTASI SPC



Spesifikasi

Panjang: 2400mm

Lebar: 45mm

Tebal: 6mm



R-04

SPC FLOOR: L-68 & L-71
ATHENA ARCH & WHITE
OAK



R-10

SPC FLOOR: L-86
VINTAGE OAK



R-05

SPC FLOOR: L-72
VENEER WOOD



R-08

SPC FLOOR: L-75 & L-85
LIGHT BROWN &
PRESTIGE WOOD



R-03

SPC FLOOR: 70
DUSTY GREY



R-01

SPC FLOOR: L-67 & L82
HELLA GREY & VICTORIA
OAK



R-07

SPC FLOOR: L-66, L-74, L-83
& L-89
VERONA MAPLE, AMERICAN
OAK, MIRAGE OAK
& RUSTIC BROWN



R-09

SPC FLOOR: L-76
CHERRY WOOD



R-02

SPC FLOOR: L-69, L-84 &
L-87
NOVA CHERRY, MODERN
CHESNUT & ANTIQUE WALNUT



R-11


SPC FLOOR: L-81
BAVARIAN WALNUT



R-06

SPC FLOOR: L-73
MAHOGANY

ENDING SPC



Spesifikasi

Panjang: 2400mm

Lebar: 24mm

Tinggi: 6mm



E-04

SPC FLOOR: L-68 & L-71
ATHENA ARCH & WHITE
OAK



E-10

SPC FLOOR: L-86
VINTAGE OAK



E-05

SPC FLOOR: L-72
VENEER WOOD



E-08

SPC FLOOR: L-75 & L-85
LIGHT BROWN &
PRESTIGE WOOD



E-03

SPC FLOOR: L-70
DUSTY GREY



E-GREY

SPC FLOOR: L-61, L-62 &
L-63
LAVA BLACK, SMOKE GREY
& SAND CONCRETE



E-01

SPC FLOOR: L-67 & L-82
HELLA GREY & VICTORIA
OAK



E-07

SPC FLOOR: L-66, L-74, L-83
& L-89
VERONA MAPLE, AMERICAN
OAK, MIRAGE OAK & RUSTIC
BROWN



L-09

SPC FLOOR: L-76
CHERRY WOOD



E-02

SPC FLOOR: L-69, L-84
& L-87
NOVA CHERRY, MODERN
CHESNUT & ANTIQUE
WALNUT



E-11

SPC FLOOR: L-81
BAVARIAN WALNUT



E-06

SPC FLOOR: L-73
MAHOGANY

TRANSISI SPC



Spesifikasi

Panjang: 2400mm

Lebar: 35mm

Tebal: 3mm



T-04
SPC FLOOR: L-68 & L-71
ATHENA ARCH & WHITE
OAK



T-10
SPC FLOOR: L-86
VINTAGE OAK



T-05
SPC FLOOR: L-72
VENEER WOOD



T-08
SPC FLOOR: L-75 & L-85
LIGHT BROWN &
PRESTIGE WOOD



T-03
SPC FLOOR: L-70
DUSTY GREY



T-GREY
SPC FLOOR: L-61, L-62 &
L-63
LAVA BLACK, SMOKE GREY
& SAND CONCRETE



T-01
SPC FLOOR: L-67 & L-82
HELLA GREY & VICTORIA
OAK



T-07
SPC FLOOR: L-66, L-74, L-83
& L-89
VERONA MAPLE, AMERICAN
OAK, MIRAGE OAK & RUSTIC
BROWN



T-09
SPC FLOOR: L-76
CHERRY WOOD




T-02
SPC FLOOR: L-69, L-84
& L-87
NOVA CHERRY, MODERN
CHESNUT & ANTIQUE
WALNUT



T-11
SPC FLOOR: L-81
BAVARIAN WALNUT



T-06
SPC FLOOR: L-73
MAHOGANY



Spesifikasi

Panjang: 2400mm

Lebar: 35mm

Tinggi: 15mm



N-04

SPC FLOOR: L-68 & L-71
ATHENA ARCH & WHITE
OAK



N-10

SPC FLOOR: L-86
VINTAGE OAK



N-05

SPC FLOOR: L-72
VENEER WOOD



N-08

SPC FLOOR: L-75 & L-85
LIGHT BROWN &
PRESTIGE WOOD



N-03

SPC FLOOR: L-70
DUSTY GREY



N-GREY

SPC FLOOR: L-61, L-62 &
L-63
LAVA BLACK, SMOKE GREY
& SAND CONCRETE



N-01

SPC FLOOR: L-67 & L-82
HELLA GREY & VICTORIA
OAK



N-07

SPC FLOOR: L-66, L-74, L-83
& L-89
VERONA MAPLE, AMERICAN
OAK, MIRAGE OAK & RUSTIC
BROWN



N-09

SPC FLOOR: L-76
CHERRY WOOD



N-02

SPC FLOOR: L-69, L-84
& L-87
NOVA CHERRY, MODERN
CHESNUT & ANTIQUE
WALNUT



N-11

SPC FLOOR: L-81
BAVARIAN WALNUT



N-06

SPC FLOOR: L-73
MAHOGANY

SPECIFICATION

DESCRIPTION	STANDARDS	UNIT	RESULTS
Total thickness	EN ISO 24346 (EN 428)	mm	5.0 (4+1mm IXPE)
	ASTM F386	inch	0.197
Thickness of wearlayer	EN ISO 24340 (EN 429)	mm	0.2
	ASTM F410	inch	0.007
Weight	EN ISO 23997 (EN 430)	kg/m ²	≥8
Size	EN ISO 24342 (EN 427)	mm	182x1220
	ASTM F 536	inch	7.17"x 48"
CLASSIFICATION			
Norm/Product specification	—	—	EN ISO 10582 (EN 649)
	ASTM F 1700	—	Class III Type B
European classification	EN ISO 10874 (EN 685)	class	33-42
Fire rating	EN 13 501-1	class	Bfl-s1
Static electrical propensity	EN 1815	Kv	<2
Slip resistance wet	DIN 51 130	class	R10
PERFORMANCES			
Wear Resistance	EN 660.2	mm ³	≤2.0
Wear Group	NF 189	group	T
Type Binder content	ISO 10582	group	I
Impact Sound Insulation	EN ISO 717-2	db	4
Dimensional Stability	EN ISO 23999 (EN 434)	%	≤0.15
Residual Indentation	EN ISO 24343-1 EN 433	mm	≤0.10
Castor Chair Test	ISO 4918 EN 425	—	OK
Thermal Conductivity	EN ISO 10456 EN 12 524	W/{m.k}	0.25
Colour Fastness	EN 20 105-B02	degree	≥6
Special maintenance treatment	—	—	PUR+Matt
Chemical Products Resistance	EN ISO 16000- (EN 423)	—	OK
ENVIRONMENT/INDOOR AIR QUALITY			
TVOC after 28 days	ISO 16000-6	µg/m ³	<10

